



SQUARE TUBE
ท่อสี่เหลี่ยมจัตุรัส



A		T (mm.)	W (KG./M.)
(in)	(mm.)		
3/8	9.53	1.0	0.092
3/8	9.53	1.2	0.108
3/8	9.53	1.5	0.130
1/2	12.70	1.0	0.127
1/2	12.70	1.2	0.150
1/2	12.70	1.5	0.182
5/8	15.88	1.0	0.161
5/8	15.88	1.2	0.190
5/8	15.88	1.5	0.234
3/4	19.05	1.0	0.196
3/4	19.05	1.2	0.232
3/4	19.05	1.5	0.285
7/8	22.23	1.2	0.274
-	25.00	1.5	0.382
1	25.40	1.0	0.264
1	25.40	1.2	0.315
1	25.40	1.5	0.389
1	25.40	2.0	0.507
1	25.40	2.3	0.579
1-1/4	31.75	1.0	0.333
1-1/4	31.75	1.2	0.397
1-1/4	31.75	1.5	0.492

SQUARE TUBE


ท่อสี่เหลี่ยมจัตุรัส



A		T (mm.)	W (KG./M.)
(in)	(mm.)		
1-1/4	31.75	2.0	0.645
1-1/2	38.10	1.0	0.402
1-1/2	38.10	1.2	0.480
1-1/2	38.10	1.5	0.595
1-1/2	38.10	2.0	0.783
1-1/2	38.10	2.3	0.893
1-3/4	44.45	1.0	0.471
1-3/4	44.45	1.2	0.563
1-3/4	44.45	1.5	0.698
1-3/4	44.45	2.0	0.920
1-3/4	44.45	2.3	1.051
2	50.80	1.2	0.645
2	50.80	1.5	0.802
2	50.80	2.0	1.058
2	50.80	2.3	1.209
3	76.20	1.5	1.215
3	76.20	2.0	1.609
3	76.20	2.3	1.842
4	101.60	1.5	1.628
4	101.60	2.0	2.159
4	101.60	2.3	2.476

RECTANGULAR TUBE


ท่อสี่เหลี่ยมผืนผ้า



A		B		T	W
(in)	(mm.)	(in)	(mm.)	(mm.)	(KG./M.)
7/8	22.23	5/8	15.88	1.0	0.196
1	25.40	1/2	12.70	1.0	0.196
1	25.40	1/2	12.70	1.2	0.233
1	25.40	1/2	12.70	1.5	0.285
1-1/4	31.75	3/4	19.05	2.3	0.576
1-1/2	38.10	3/4	19.05	1.5	0.440
1-1/2	38.10	3/4	19.05	2.3	0.655
1-1/2	38.10	1	25.40	1.0	0.333
1-1/2	38.10	1	25.40	1.2	0.397
1-1/2	38.10	1	25.40	1.5	0.492
1-1/2	38.10	1	25.40	2.0	0.645
-	40.00	-	20.00	2.0	0.607
1-3/4	44.45	1	25.40	1.0	0.368
1-3/4	44.45	1	25.40	1.5	0.543
2	50.80	1	25.40	1.0	0.402
2	50.80	1	25.40	1.2	0.480
2	50.80	1	25.40	1.5	0.595
2	50.80	1	25.40	1.8	0.709
2	50.80	1	25.40	2.0	0.783
2	50.80	1	25.40	2.3	0.893
2	50.80	1-1/2	38.10	1.2	0.563
2	50.80	1-1/2	38.10	1.8	0.832

RECTANGULAR TUBE


ท่อสี่เหลี่ยมผืนผ้า



A		B		T (mm.)	W (KG./M.)
(in)	(mm.)	(in)	(mm.)		
2	50.80	1-1/2	38.10	2.0	0.920
3	76.20	1	25.40	1.2	0.645
3	76.20	1	25.40	1.5	0.801
3	76.20	1	25.40	1.8	0.956
3	76.20	1	25.40	2.0	1.058
3	76.20	1	25.40	2.3	1.209
3	76.20	1-1/2	38.10	1.2	0.728
3	76.20	1-1/2	38.10	2.0	1.196
3	76.20	1-3/4	44.45	1.2	0.769
3	76.20	1-3/4	44.45	1.5	0.956
3	76.20	1-3/4	44.45	1.8	1.142
3	76.20	1-3/4	44.45	2.0	1.264
3	76.20	1-3/4	44.45	2.3	1.447
4	101.60	1	25.40	1.2	0.810
4	101.60	1	25.40	1.5	1.008
4	101.60	1	25.40	1.8	1.204
4	101.60	1	25.40	2.0	1.333
4	101.60	1	25.40	2.3	1.526
4	101.60	1-1/2	38.10	2	1.422
4	101.60	1-3/4	44.45	1.2	0.934
4	101.60	1-3/4	44.45	1.5	1.163
4	101.60	1-3/4	44.45	1.8	1.390


RECTANGULAR TUBE

ท่อสี่เหลี่ยมผืนผ้า




A		B		T (mm.)	W (KG./M.)
(in)	(mm.)	(in)	(mm.)		
4	101.60	1-3/4	44.45	2.0	1.540
4	101.60	1-3/4	44.45	2.3	1.763
4	101.60	2	50.80	1.2	0.976
4	101.60	2	50.80	1.5	1.215
4	101.60	2	50.80	1.8	1.452
4	101.60	2	50.80	2.0	1.609
4	101.60	2	50.80	2.3	1.842
4	101.60	2	50.80	3.0	2.380
5	127.00	1-3/4	44.45	2.0	1.815
5	127.00	2	50.80	2.0	1.884

ROUND TUBE
ทอกลม



A		T (mm.)	W (KG./M.)
(in)	(mm.)		
3/8	9.53	1.2	0.085
3/8	9.53	1.5	0.102
1/2	12.70	1.0	0.100
1/2	12.70	1.5	0.143
1/2	12.70	2.0	0.182
5/8	15.88	1.0	0.127
5/8	15.88	1.2	0.150
5/8	15.88	1.5	0.184
5/8	15.88	2.0	0.236
3/4	19.05	1.0	0.154
3/4	19.05	1.2	0.182
3/4	19.05	1.5	0.224
3/4	19.05	2.0	0.290
3/4	19.05	2.3	0.328
7/8	22.23	1.5	0.265
7/8	22.23	2.3	0.390
1	25.40	1.0	0.208
1	25.40	1.2	0.247
1	25.40	1.5	0.305
1	25.40	2.0	0.398
1	25.40	2.3	0.452
1	25.40	2.5	0.487


ROUND TUBE
ท่อกกลม




A		T (mm.)	W (KG./M.)
(in)	(mm.)		
1	25.40	3.2	0.605
1-1/8	28.58	1.2	0.280
1-1/8	28.58	1.8	0.410
1-1/4	31.75	1.2	0.312
1-1/4	31.75	1.5	0.386
1-1/4	31.75	2.0	0.507
1-1/4	31.75	2.3	0.577
1-1/4	31.75	2.5	0.623
1-1/4	31.75	3.2	0.778
1-3/8	34.93	1.5	0.427
1-1/2	38.10	1.2	0.377
1-1/2	38.10	1.5	0.467
1-1/2	38.10	2.0	0.615
1-1/2	38.10	2.3	0.701
1-1/2	38.10	2.5	0.758
1-1/2	38.10	3.2	0.951
-	40.00	2.3	0.738
1-3/4	44.45	1.5	0.548
1-3/4	44.45	2.0	0.723
1-3/4	44.45	2.3	0.825
1-3/4	44.45	2.5	0.893
1-3/4	44.45	3.2	1.124

ROUND TUBE

ทอกลม




A		T (mm.)	W (KG./M.)
(in)	(mm.)		
2	50.80	1.2	0.507
2	50.80	1.5	0.630
2	50.80	2.0	0.831
2	50.80	2.5	1.028
2	50.80	3.2	1.297
2-1/4	57.15	1.5	0.711
2-1/4	57.15	1.8	0.848
2-1/4	57.15	2.5	1.163
2-1/4	57.15	3.2	1.470
2-1/2	63.50	1.2	0.636
2-1/2	63.50	2.5	1.298
2-1/2	63.50	3.0	1.545
-	67.00	6.0	3.116
-	73.00	5.2	3.002
-	76.00	5.0	3.022
3	76.20	1.5	0.954
3	76.20	2.5	1.569
3	76.20	3.0	1.870
-	80.00	1.5	1.002
3-1/4	82.55	1.8	1.237
3-1/2	88.90	5.5	3.905
-	90.00	3.2	2.365



A		T (mm.)	W (KG./M.)
(in)	(mm.)		
-	95.20	2.5	1.973
-	100.00	3.5	2.876
4	101.60	1.2	1.026
4	101.60	2.0	1.696
4	101.60	3.2	2.680
4	101.60	6.4	5.187
5	127.00	1.5	1.603


EQUAL ANGLE

ฉากรานเทา



A		T (mm.)	W (KG./M.)
(in)	(mm.)		
3/8	9.53	1.0	0.049
3/8	9.53	1.2	0.058
3/8	9.53	1.5	0.071
1/2	12.70	1.0	0.066
1/2	12.70	1.2	0.079
1/2	12.70	1.5	0.097
1/2	12.70	2.8	0.171
1/2	12.70	3.2	0.193
-	15.00	1.0	0.079
-	15.00	1.5	0.116
-	15.00	1.8	0.138
5/8	15.88	1.0	0.083
5/8	15.88	1.2	0.099
5/8	15.88	1.5	0.123
5/8	15.88	3.2	0.248
-	19.00	1.0	0.100
3/4	19.05	1.0	0.101
3/4	19.05	1.2	0.120
3/4	19.05	1.5	0.149
3/4	19.05	2.3	0.223
3/4	19.05	2.8	0.268
3/4	19.05	3.2	0.303


EQUAL ANGLE
ฉากร้านเท่า




A		T (mm.)	W (KG./M.)
(in)	(mm.)		
-	20.00	1.0	0.106
-	20.00	1.5	0.157
-	20.00	2.0	0.206
7/8	22.23	1.2	0.141
-	25.00	1.0	0.133
-	25.00	1.5	0.197
1	25.40	1.0	0.135
1	25.40	1.2	0.161
1	25.40	1.5	0.200
1	25.40	2.3	0.302
1	25.40	2.8	0.364
1	25.40	3.2	0.413
1	25.40	4.5	0.565
1	25.40	6.0	0.728
1	25.40	6.4	0.770
-	30.00	1.0	0.160
-	30.00	1.5	0.238
1-1/4	31.75	1.0	0.169
1-1/4	31.75	1.2	0.230
1-1/4	31.75	1.5	0.252
1-1/4	31.75	2.8	0.461
1-1/4	31.75	3.2	0.523

EQUAL ANGLE

ฉากรานเท่า




A		T (mm.)	W (KG./M.)
(in)	(mm.)		
1-1/4	31.75	4.5	0.720
1-1/2	38.10	1.2	0.244
1-1/2	38.10	1.5	0.304
1-1/2	38.10	2.8	0.557
1-1/2	38.10	3.2	0.633
1-1/2	38.10	4.5	0.874
-	40.00	4.00	0.824
1-3/4	44.45	3.2	0.743
2	50.80	1.2	0.327
2	50.80	1.5	0.407
2	50.80	2.8	0.750
2	50.80	3.2	0.853
2	50.80	4.5	1.184
2	50.80	6.0	1.554
2	50.80	6.4	1.651
2-1/2	63.50	2.5	0.843
2-1/2	63.50	3.2	1.074
2-1/2	63.50	6.0	1.967
2-1/2	63.50	6.4	2.092
3	76.20	2.8	1.135
3	76.20	3.2	1.294
3	76.20	6.0	2.380



A		T (mm.)	W (KG./M.)
(in)	(mm.)		
3	76.20	6.4	2.532
4	101.60	1.5	0.820
4	101.60	2.8	1.521
4	101.60	3.2	1.734
4	101.60	6.0	3.206
4	101.60	6.4	3.413


SLIDING WINDOW

ฉากร้านไม้เท้า




A		B		T	W
(in)	(mm.)	(in)	(mm.)	(mm.)	(KG./M.)
1/2	12.70	1/4	6.35	1.0	0.041
5/8	15.87	3/8	9.52	1.3	0.085
5/8	15.87	1/2	12.70	1.8	0.131
5/8	15.87	1/2	12.70	3.2	0.220
3/4	19.05	1/4	6.35	1.0	0.066
3/4	19.05	3/8	9.53	1.0	0.075
3/4	19.05	3/8	9.53	1.5	0.110
3/4	19.05	3/8	9.53	2.0	0.144
3/4	19.05	1/2	12.70	1.0	0.083
3/4	19.05	1/2	12.70	1.2	0.099
-	20.00	-	15.00	1.4	0.127
-	20.00	-	15.00	1.8	0.162
1	25.40	1/4	6.35	1.0	0.083
1	25.40	1/2	12.70	1.0	0.101
1	25.40	1/2	12.70	1.2	0.120
1	25.40	1/2	12.70	1.5	0.149
1-1/4	31.75	1/2	12.70	1.0	0.118
1-1/4	31.75	1/2	12.70	1.2	0.141
1-1/4	31.75	1/2	12.70	1.5	0.175
1-1/4	31.75	1	25.40	3.2	0.468
-	32.00	-	15.00	2.0	0.244
1-1/2	38.10	1/2	12.70	1.0	0.135

SLIDING WINDOW
ฉากร้านไม้เท้า




A		B		T (mm.)	W (KG./M.)
(in)	(mm.)	(in)	(mm.)		
1-1/2	38.10	1/2	12.70	1.2	0.161
1-1/2	38.10	1/2	12.70	1.5	0.200
1-1/2	38.10	3/4	19.05	3.0	0.440
1-1/2	38.10	3/4	19.05	3.2	0.468
1-1/2	38.10	1	25.40	1.0	0.169
1-1/2	38.10	1	25.40	1.2	0.203
1-1/2	38.10	1	25.40	1.5	0.253
1-1/2	38.10	1	25.40	2.8	0.461
1-1/2	38.10	1	25.40	3.2	0.523
1-3/4	44.45	1/2	12.70	1.0	0.152
1-3/4	44.45	1/2	12.70	1.2	0.182
1-3/4	44.45	1	25.40	1.5	0.278
2	50.80	1/2	12.70	1.2	0.203
2	50.80	1/2	12.70	1.5	0.252
2	50.80	1/2	12.70	1.8	0.301
2	50.80	3/4	19.05	2.0	0.368
2	50.80	1	25.40	1.2	0.244
2	50.80	1	25.40	2.8	0.557
2	50.80	1	25.40	3.2	0.633
2-1/2	63.50	3/4	19.05	1.2	0.265
2-1/2	63.50	3/4	19.05	1.5	0.329
2-1/2	63.50	1	25.40	1.5	0.355

SLIDING WINDOW
ฉากร้านไม้เท้า



A		B		T (mm.)	W (KG./M.)
(in)	(mm.)	(in)	(mm.)		
2-1/2	63.50	1-1/2	38.10	4.8	1.259
3	76.20	1/2	12.70	1.0	0.238
3	76.20	1/2	12.70	1.2	0.285
3	76.20	1	25.40	1.5	0.407
3	76.20	1-1/2	38.10	1.5	0.459
4	101.60	2	50.80	6.0	2.380


EQUAL U-CHANNEL
U ด้านเท่า



A		T (mm.)	W (KG./M.)
(in)	(mm.)		
3/8	9.53	1.0	0.072
3/8	9.53	1.2	0.085
3/8	9.53	1.5	0.104
1/2	12.70	1.0	0.098
1/2	12.70	1.2	0.116
1/2	12.70	1.5	0.143
5/8	15.88	1.0	0.124
5/8	15.88	1.2	0.147
5/8	15.88	1.5	0.181
3/4	19.05	1.0	0.149
3/4	19.05	1.2	0.178
3/4	19.05	1.5	0.220
3/4	19.05	3.2	0.440
1	25.40	1.0	0.210
1	25.40	1.2	0.240
1	25.40	1.5	0.298
1	25.40	2.8	0.536
1	25.40	3.2	0.605
1-1/2	38.10	1.5	0.452

UNEQUAL U-CHANNEL


U ด้านไม่เท่า



A		B		T	W
(in)	(mm.)	(in)	(mm.)	(mm.)	(KG./M.)
-	8.00	1/2	12.70	1.5	0.124
-	8.00	5/8	15.88	1.5	0.149
3/8	9.53	1/4	6.35	1.5	0.078
1/2	12.70	3/8	9.53	1.0	0.081
1/2	12.70	3/8	9.53	1.5	0.117
1/2	12.70	3/4	19.05	1.5	0.194
-	14.50	-	14.00	1.0	0.110
5/8	15.88	1/4	6.35	1.0	0.072
3/4	19.05	1/4	6.35	1.0	0.081
3/4	19.05	3/8	9.53	1.5	0.143
3/4	19.05	1/2	12.70	1.0	0.115
3/4	19.05	1/2	12.70	1.2	0.137
3/4	19.05	1/2	12.70	1.5	0.168
3/4	19.05	1/2	12.70	2.5	0.267
7/8	22.23	1/2	12.70	1.0	0.124
1	25.40	1/2	12.70	1.0	0.132
1	25.40	1/2	12.70	1.5	0.194
1	25.40	1/2	12.70	2.5	0.310
1	25.40	3/4	19.05	1.5	0.246
1	25.40	3/4	19.05	2.3	0.367
1	25.40	2	50.80	2.5	0.827
-	30.00	-	22.00	1.5	0.289

UNEQUAL U-CHANNEL


U ด้านไม่เท่า



A		B		T	W
(in)	(mm.)	(in)	(mm.)	(mm.)	(KG./M.)
1-1/4	31.75	1/2	12.70	1.0	0.149
1-1/4	31.75	1	25.40	2.3	0.486
-	35.00	-	25.00	2.0	0.439
1-1/2	38.10	1/2	12.70	1.0	0.167
1-1/2	38.10	1/2	12.70	1.5	0.246
1-1/2	38.10	3/4	19.05	1.5	0.298
1-1/2	38.10	3/4	19.05	2.5	0.482
1-1/2	38.10	1	25.40	1.2	0.281
1-1/2	38.10	1	25.40	1.5	0.349
-	40.00	-	15.00	1.0	0.184
1-3/4	44.45	-	11.50	1.0	0.177
1-3/4	44.45	1/2	12.70	1.2	0.219
1-3/4	44.45	1/2	12.70	1.5	0.272
1-3/4	44.45	5/8	15.88	3.2	0.605
2	50.80	1/2	12.70	1.0	0.201
2	50.80	1/2	12.70	1.5	0.298
2	50.80	1	25.40	1.2	0.323
2	50.80	1	25.40	1.5	0.401
2	50.80	1	25.40	3.2	0.826
-	58.00	-	38.00	2.5	0.874
2-1/2	63.50	1-1/4	31.75	4.0	1.290
2-3/4	69.85	1	25.40	1.2	0.385


UNEQUAL U-CHANNEL

U ด้านไม้เท้า



A		B		T (mm.)	W (KG./M.)
(in)	(mm.)	(in)	(mm.)		
3	76.20	1/2	12.70	1.0	0.270
3	76.20	1/2	12.70	1.5	0.401
3	76.20	1	25.40	3.2	1.046
-	80.00	-	20.00	1.5	0.476
-	100.00	-	20.00	1.8	0.665
4	101.60	-	20.00	1.5	0.563
4	101.60	2	50.80	6.4	3.302


T-CHANNEL
หน้าตัดรูปตัว T




A		B		T	W
(in)	(mm.)	(in)	(mm.)	(mm.)	(KG./M.)
1/2	12.70	1/2	12.70	1.0	0.066
5/8	15.88	5/8	15.88	3.2	0.248
3/4	19.05	3/4	19.05	1.0	0.101
3/4	19.05	3/4	19.05	1.5	0.149
1	25.40	1	25.40	1.0	0.135
1	25.40	1	25.40	1.2	0.161
1	25.40	1	25.40	1.5	0.200
1	25.40	1	25.40	3.2	0.413
1	25.40	-	30.00	1.0	0.147
1	25.40	-	30.00	1.5	0.219
1	25.40	1-1/4	31.75	1.0	0.152
1	25.40	1-1/4	31.75	1.5	0.226
1	25.40	1-1/2	38.10	1.0	0.169
1	25.40	1-1/2	38.10	1.5	0.252
-	30.00	-	30.00	1.5	0.238

FLAT BAR

เส้นแบน




A		T (mm.)	W (KG./M.)
(in)	(mm.)		
1/4	6.35	3.2	0.055
3/8	9.53	3.2	0.083
-	12.00	2.5	0.081
-	12.00	3.0	0.098
1/2	12.70	1.2	0.041
1/2	12.70	1.5	0.052
1/2	12.70	2.3	0.079
1/2	12.70	2.8	0.096
1/2	12.70	3.2	0.110
1/2	12.70	6.4	0.220
-	15.00	2.3	0.093
5/8	15.88	1.2	0.052
5/8	15.88	1.5	0.065
5/8	15.88	3.2	0.138
5/8	15.88	4.5	0.194
-	16.00	3.0	0.130
3/4	19.05	1.0	0.052
3/4	19.05	1.2	0.062
3/4	19.05	1.5	0.077
3/4	19.05	2.3	0.119
3/4	19.05	2.8	0.145
3/4	19.05	3.2	0.165




A		T (mm.)	W (KG./M.)
(in)	(mm.)		
3/4	19.05	4.8	0.248
3/4	19.05	6.4	0.330
1	25.40	1.0	0.069
1	25.40	1.2	0.083
1	25.40	1.5	0.103
1	25.40	2.3	0.158
1	25.40	2.8	0.193
1	25.40	3.2	0.220
1	25.40	4.8	0.330
1	25.40	6.4	0.441
1	25.40	10.0	0.688
1	25.40	12.7	0.874
1-1/4	31.75	1.0	0.086
1-1/4	31.75	1.2	0.103
1-1/4	31.75	1.5	0.129
1-1/4	31.75	2.3	0.198
1-1/4	31.75	2.8	0.241
1-1/4	31.75	3.2	0.275
1-1/4	31.75	4.8	0.413
1-1/4	31.75	6.4	0.551
1-1/4	31.75	10.0	0.860
1-1/4	31.75	12.7	1.093

FLAT BAR

เส้นแบน




A		T (mm.)	W (KG./M.)
(in)	(mm.)		
1-1/2	38.10	1.0	0.103
1-1/2	38.10	1.2	0.124
1-1/2	38.10	1.5	0.155
1-1/2	38.10	2.3	0.237
1-1/2	38.10	2.8	0.289
1-1/2	38.10	3.2	0.330
1-1/2	38.10	4.8	0.490
1-1/2	38.10	6.4	0.661
1-1/2	38.10	10.0	1.033
1-1/2	38.10	25.4	2.623
1-3/4	44.45	3.2	0.385
2	50.80	1.2	0.165
2	50.80	1.5	0.207
2	50.80	2.3	0.317
2	50.80	2.8	0.385
2	50.80	3.0	0.413
2	50.80	3.2	0.441
2	50.80	4.8	0.661
2	50.80	6.4	0.881
2	50.80	10.0	1.377
2	50.80	12.7	1.748
2-1/4	57.15	3.2	0.496



A		T (mm.)	W (KG./M.)
(in)	(mm.)		
2-1/2	63.50	1.2	0.207
2-1/2	63.50	1.5	0.258
2-1/2	63.50	2.3	0.396
2-1/2	63.50	3.2	0.551
2-1/2	63.50	4.8	0.826
2-1/2	63.50	6.4	1.101
2-1/2	63.50	10.0	1.721
2-1/2	63.50	12.7	2.185
2-3/4	69.85	3.2	0.606
3	76.20	1.2	0.248
3	76.20	1.5	0.310
3	76.20	2.3	0.475
3	76.20	3.2	0.661
3	76.20	3.8	0.785
3	76.20	4.8	0.991
3	76.20	6.4	1.322
3	76.20	10.0	2.065
3	76.20	12.7	2.623
3	76.20	25.4	5.245
3-1/2	88.90	3.2	0.771
3-3/4	95.25	6.4	1.652
3-3/4	95.25	12.7	3.278

FLAT BAR

เส้นแบน



A		T (mm.)	W (KG./M.)
(in)	(mm.)		
4	101.60	1.2	0.330
4	101.60	1.5	0.413
4	101.60	2.3	0.633
4	101.60	3.2	0.881
4	101.60	4.8	1.322
4	101.60	6.4	1.762
4	101.60	10.0	2.753
4	101.60	12.7	3.497
4	101.60	20.0	5.507
4	101.60	25.4	6.994
5	127.00	6.4	2.203
5	127.00	10.0	3.442
5	127.00	12.7	4.371
6	152.40	4.8	1.982
6	152.40	6.4	2.643
6	152.40	10.0	4.130
6-1/4	158.75	6.4	2.753